

The Industry's
Newest, Lightest and
Most Powerful
Gas Tool

c5

TRACK

IT

FASTENERS

SYSTEM

Gas Operated Fastening System

CODE LISTED
ICC-ES ESR-3275

NEW!

Powers is a proud member of:



Powers
FASTENERS



The all new fuel injected Trak-It® C5 cordless concrete pin nailer is the lightest and smallest tool in its class, resulting in less operator fatigue and a better overall ergonomic feel. C5 has the greatest power output at 105 Joules, which allows for shooting into even the hardest concrete, is able to shoot pins up to 1-1/2" in length, and is the only tool in its class that shoots .102, .108, .120 and .145 diameter pins. No other tool can make this claim!

- **SIZE** – Lower profile is achieved by a new patented combustion chamber design
- **WEIGHT** – Lightest design among all 100+ Joules tools on the market
- **POWER** – Most powerful in its class at 105 Joules
- **TRIGGER PULL FORCE** – Lightest pull load of any tool at 2.65 lbs. creates less fatigue on operator, especially for top track applications
- **PIN LENGTH** – Greatest variety of pin diameters and lengths with specialized pins available
- **SHANK DIAMETER** – Only tool that can shoot .102", .120" and .145" diameter pins
- **ADJUSTABLE DEPTH CONTROL** – Can adjust depth up to .187"

HIGH QUALITY STAINLESS MESH FILTERS
Reduce fine dust intake and exhaust up to 2 times foam filters

DEPTH ADJUSTER
Simple ratcheting dial allows depth adjustment up to .187"

2-1/2" CLEARANCE
Shoots deep and slip track with short 1" stroke

FUEL INJECTION
Precision internal metering of fuel with electromagnetic solenoid valve

UNIQUE MAGAZINE
One magazine accommodates .102, .120 and .145 pin diameters

TRAK-IT
C5



Metal mesh filter offers twice the protection of sponge filters, easy to clean and reuse.



SERVICE REMINDER – Steady red light when battery is dead. Flashing light indicator shows tool is in need of required service or cleaning



Convenient belt-loop hook



SWING TRIGGER
Makes firing effortless when reaching out or shooting overhead

SOFT MOLDED GRIP
Ergonomic design for operator comfort

PUSH BUTTON FUEL DOOR
Fuel cell can be inserted with nose down, then door closes and is ready for use.

LED TOOL SERVICE INDICATOR
Illuminates when battery is low. Blinks when tool servicing is required (25,000 shots)

ENGINEERED BELT LOOP
Reversible and can be hung from up to 1-1/2" pipe scaffolding

ONE CLICK LEVER
Track magazine removal is simple

C5 Tool Weight vs. Competition (in Lbs)

c5
7.90

HILTI®
8.63

ITW®
9.53

Hilti is a registered trademark of Hilti Corporation, Schaan, LI
ITW is a registered trademark of Illinois Tool Works



TRAK-IT
C5

CAT. NO.	PIN DESCRIPTION / GREEN STRIPS	APPLICATIONS
55310	.102 x 3/4	Metal track to concrete
55312	.102 x 1	Light gauge metal track to concrete
55314	.102 x 1-1/4	Fixture to concrete or block
55316	.102 x 1-1/2	Fixture to concrete or block
55318	.145 x 3/4	Metal track to concrete
55320	.145 x 1	Light gauge metal track to concrete, 1/4 & 3/8 plywood to concrete / block, rubber membrane to concrete / block
55322	.145/.102 x 1-1/4 (step)	Fixture to concrete or block
55324	.145/.102 x 1-1/2 (step)	Fixture to concrete or block
55326	.120/.102 x 1/2 (step) Steel Zinc	Metal track to steel or hard concrete
55328	.120/.102 x .680 (step) Steel Zinc	Metal track to steel or hard concrete
55330	.120/.102 x .730 (step) Steel Zinc	1/4 plywood to steel or hard concrete
55332	.145/.120 x 1 (step) Steel ACQ	Knurled 1/2 or 5/8 plywood to steel
55334	.145/.120 x 1-1/4 (step) Steel ACQ	Knurled 3/4 plywood to steel 1" furring strip to steel
55336	.145/.120 x 1 (step) Steel Zinc Coated	Knurled 1/2 or 5/8 plywood to steel
55338	.145/.120 x 1-1/4 (step) Steel Zinc Coated	Knurled 3/4 plywood to steel, 1" furring strip to steel
55340	.102/.108 x 1-3/8 Spiral Knurl	Plywood / Denz glass to steel stud



STANDARD .102 STRAIGHT PINS

CAT. NO.	SHANK DIA	LENGTH	STEP DIA	PLATE	KNURL/SPIRAL	APPLICATIONS
55310	0.102	3/4	-	Zinc	-	Metal track to concrete
55312	0.102	1	-	Zinc	-	Light gauge metal track to concrete
55314	0.102	1-1/4	-	Zinc	-	Fixture to concrete or block
55316	0.102	1-1/2	-	Zinc	-	Fixture to concrete or block

STANDARD .145 STRAIGHT PINS

CAT. NO.	SHANK DIA	LENGTH	STEP DIA	PLATE	KNURL/SPIRAL	APPLICATIONS
55318	0.145	3/4	-	Zinc	-	Metal track to concrete
55320	0.145	1	-	Zinc	-	Light gauge metal track to concrete, 1/4 & 3/8 plywood to concrete and block, rubber membrane to concrete or block

CONCRETE AND STEEL PINS STRUCTURAL

CAT. NO.	SHANK DIA	LENGTH	STEP DIA	PLATE	KNURL/SPIRAL	APPLICATIONS
55336	0.145	1	0.120	Zinc	K	1/2" & 5/8" plywood to steel
55338	0.145	1-1/4	0.120	Zinc	K	3/4" plywood to steel 1" furring strip to steel
55322	0.145	1-1/4	0.102	Zinc	-	Fixture to concrete or block
55324	0.145	1-1/2	0.102	Zinc	-	Fixture to concrete or block

SPECIALTY TAPERED SHORT PINS

CAT. NO.	SHANK DIA	LENGTH	STEP DIA	PLATE	KNURL/SPIRAL	APPLICATIONS
55326	0.120	1/2	0.102	Zinc	K	Metal track to steel
55328	0.120	.680	0.102	Zinc	K	Metal track to steel or hard concrete
55330	0.120	.730	0.102	Zinc	K	1/4" plywood to steel or hard concrete
55342	0.102	.780	0.088	Zinc	K	Steel, stud, strut, precast concrete, block and steel

SPECIALTY SPIRAL KNURL PIN

CAT. NO.	SHANK DIA	LENGTH	STEP DIA	PLATE	KNURL/SPIRAL	APPLICATIONS
55340	0.108	1 3/8	0.102	Zinc	KS	Plywood / Denz Glass to steel stud

PRESSURE TREATED LUMBER PINS

CAT. NO.	SHANK DIA	LENGTH	STEP DIA	PLATE	KNURL/SPIRAL	APPLICATIONS
55332	0.145	1	0.125	ACQ	K	Pressure treated lumber
55334	0.145	1-1/4	0.125	ACQ	K	Pressure treated lumber

Length	17.24"	Pin Shank Dia.	.102"-.145"
Height	14.71	Trigger Pull Load	2.5 lbs.
Width	4.88"	Magazine	Removable by Lever
Weight	7.90 lbs.	Adjustable Depth Control	Dial
Power	105 Joules	Dust Resistant (Suction Filter)	Metal Mesh
Power/Weight Ratio	13.04	Maintenance Counter	LED Cleaning Indicator
Pin Length	1/2" - 1-1/2"	Shots Per Fuel Cell	800



accessories

Stück-E

Fits The C5 Tool Perfectly!



Bridal Ring



Stainless Steel Sealing Washer



Insulation Washer

TRAK-IT
C5



TRAK-IT® C5 TOOL

55142	C-5 Gas Tool Deep Track (1.25)
55144	C-5 Gas Tool Short Track (1.25)
55148	C-5 Gas Tool Long Track (1.5)

TOOL ACCESSORIES

56342	Accessory DT (1.25)
55583	Battery

FUEL CELL

55302	Fuel Cell 20 per box 80 per carton
55301	100 per box

ACCESSORY TRACKS

56346	Accessory ST (1.5)
56344	Accessory LT (1.5)

Note: A short track tool for 1.5" pins which does not shoot deep track can be ordered under part number 55144

Note: A long track tool for 1.5" pins which does not shoot deep track can be ordered under part number 55148

STICK-E ACCESSORIES

CAT. NO.	DESCRIPTION	STD. BOX	STD. CTN.
55064	Mini Conduit Clip 1/2"	100	1000
55066	Mini Conduit Clip 3/4"	100	1000
55068	Mini Conduit Clip 1"	100	1000
55059	Conduit Clip (One Hole Strap) 1/2"	100	1000
55061	Conduit Clip (One Hole Strap) 3/4"	100	1000
55063	Conduit Clip (One Hole Strap) 1"	100	1000
55094	Bridal Ring 1-1/4"	100	1000
55095	Bridal Ring 1-1/2"	100	1000
55094	Bridal Ring 2"	100	1000
55050	Rod Hanger 1/4"	100	1000
55052	Rod Hanger 3/8"	100	1000
55042	Insulation Washer 1-7/16"	100	1000
55040	Lathing Washer 1" with Holes	100	1000
55043	SS Sealing Washer 3/4"	100	1000
55157	Denz-Tight™ Pin Washer	100	1000



JAM-FREE™ C5™ PIN STRIP

- Jam free strip design molded from engineered plastic
- Lengths from 1/2" to 1-1/2"
- .102", .120" and .145" diameters
- 100% smooth rolled point pins for hard concrete
- 100% flame hardened points are virtually unbreakable



C5™ FUEL CELL

- One piece—no valve assembly required
- Improved shelf life—2 Years
- Shoots down to -10° F
- Lean mix for high heat and humidity performance
- Free fuel cell in every box of pins



Lathing Washer



Mini conduit Clip



Rod Hanger



Conduit Clip – One Hole Strap



Denz-Tight™ Pin Washer



800 pins per fuel cell, 4500 pins per charge



Magazines are quickly removable by lever to remove pins jams or to change of magazines. 2 different magazines available. Short Track 22 pin capacity 1/2" to 1-1/2" pins up to .145" diameter or DT track 2-1/2" deep track 42 pin capacity.



POWERS FASTENERS BRANCH INFORMATION

USA LOCATIONS

CITY	ADDRESS	CONTACT	PHONE	FAX
Alabama	5405 Buford Hwy Suite 410 Norcross, GA 30071-3984	Jeff Hatchett	205-520-6044	678-966-9242
Atlanta	5405 Buford Hwy Suite 410 Norcross, GA 30071-3984	Ryan Raica	678-966-0000	678-966-9242
Boston	2 Powers Lane, Brewster, NY 10509	Jack Armour	800-524-3244	914-576-6483
Charlotte	349 L West Tremont Avenue, Charlotte, NC 28203	Bob Aurisy	704-375-5012	704-376-5517
Chicago	2472 Wisconsin Avenue, Downers Grove, IL 60515	Dan Gilligan	630-960-3156	630-960-3912
Dallas	10625 King Williams Drive, Dallas, TX 75220	Matt Henderson	972-506-9258	972-506-9290
Denver	2475 West Second Street #35, Denver, CO 80223	Jared Hemmert	303-922-9202	303-922-9228
Detroit	21600 Wyoming Avenue, Oak Park, MI 48237	Glen Gaskill	248-543-8600	248-543-8601
Florida	2412 Lynx Lane, Orlando, FL 32804	John Christy	813-626-4500	813-626-4545
Houston	13833 North Promenade, Suite 100, Stafford, TX 77477	Chris Salisbury	281-491-0351	281-491-0367
Indianapolis	15290 Stony Creek Way, Noblesville, IN 46060	Bill Trainor	317-773-1668	317-773-1690
Kansas City / St Louis	716 East 16th Avenue, North Kansas City, MO 64116	Don James, Jr.	816-472-5038	816-472-5040
Los Angeles	2761 Dow Avenue, Tustin, CA 92780	Jack Stewart	714-731-2500	714-731-2566
Maryland	3137-B Pennsy Drive, Landover, MD 20785	Chris Van Syckle	301-773-1722	301-341-5119
Milwaukee	12020 W. Feerick Street, Milwaukee, WI 53222	Donn Raduenz	414-466-2400	414-466-3993
Minneapolis	351 Wilson Street, NE Minneapolis, MN 55413	Josh Nelson	612-644-3047	612-331-3549
Nashville/Memphis	221 Blanton Avenue, Nashville, TN 37210	Ira Liss	615-248-2667	615-248-2676
New Orleans	102 Sampson Street, Houston, TX 77003	Cal Zenor	713-228-1524	713-228-1528
New York	2 Powers Lane, Brewster, NY 10509	John Partridge	914-235-6300	914-576-6483
Philadelphia	2 Powers Lane, Brewster, NY 10509	Greg Stephenson	800-524-3244	914-576-6483
Phoenix	3602 E. Southern Ave, Suite 5 Phoenix, AZ 85040	Craig Hering	602-431-8024	602-431-8027
Pittsburgh	1360 Island Avenue, McKees Rocks, PA 15136	Bill Dugan	412-771-3010	412-771-9858
Portland	129 South Kenyon, Seattle, WA 98108	Jim Swink	360-608-6845	206-762-5817
Rochester	40 Harrison Street, Rochester, NY 14605	Mike Kolstad	585-288-2080	585-288-8732
Salt Lake City	2212 SW Temple #20, Salt Lake City, UT 84115	Don Manning	801-466-9428	801-466-3083
San Francisco	28970 Hopkins Street, Suite B+C, Hayward, CA 94545	John O'Brian	510-293-1500	510-293-1505
Seattle	129 South Kenyon, Seattle, WA 98108	Darin Arnold	206-762-5812	206-762-5817

INTERNATIONAL LOCATIONS

COUNTRY/REGION	ADDRESS	CONTACT	PHONE	FAX
Australia	Factory 3, 205 Abbotts Road, Dandenong, South Victoria 3175	Phil Rose	+61 3 8787 5888	+61 3 8787 5899
Canada	6950 Edwards Blvd. Mississauga, Ontario L5T 2W2	Mark Russell	905-673-7295	905-673-6490
China	Metropolitan Business Centre, East Nandan Road, Lane 300, No. 9, Room 604 Xuhui District, Shanghai, China 200030	Jake Olsen	+86-21-3363-2880	+86-21-3363-2881
China	TriF international, 4E, Building 11, The City of Design, Tianmian Village, Futian, Shenzhen 518000	Tom Nie	86-755-82795378	86-755-82795379
Europe	Westrak 208, 1771 SV Wieringerwerf, Netherlands	Paul Geuvers	+31 888 769 377	+31 227 594 759
India	D-112, Twin Arcade, Military Rd., Marol, Andheri, East Mumbai, 400059	Ajay Kulkarni	91-22-401591304	
Manitoba	1810 Dublin Avenue Man. Winnipeg, R3H 0H3	Distributor	204-633-0064	204-694-1261
New Zealand	PO Box 302 076 North Harbour Auckland	Clay Sesto	+64 9415 2425	+64 9415 2627
Quebec	721 Meloche Avenue, Dorval, Quebec H9P 2S5	Alan Hill	514-631-4216	514-631-2583
Thailand	80/89 MOO4 Petchakasem Road, Bangkae Bangkok 10160	Chalee Surakavanichakorn	+661 826 5821	

LATIN & CARIBBEAN DISTRIBUTION INQUIRIES

COUNTRY/REGION	ADDRESS	CONTACT	PHONE	FAX
Latin America		Alan Hebert	01150767477749	914-576-6483

LATIN & CARIBBEAN DISTRIBUTION

COUNTRY/REGION	ADDRESS	CONTACT	PHONE	FAX
Colombia	Electrogeno, S.A., Carrera 52 #71c-38, Bogota, Colombia		(57) 1 6600 9436	
Costa Rica	Electro Mechanics Supply, La Uruca Contiguo Banco Ntnl., De Costa Rica Condominio, Horizontal Bodega #9, San Jose, Costa Rica		(506) 2233-2595	
Dominican Republic	Calle Estancia Nueva #17 E Esquina Cul-De-Sac 9, San Geronimo, Santo Domingo	Rodfor Team	809-224-5615	809-472-8640
Ecuador	Acerco Comercial Ecuatoriano S.A., Av. La Prensa N45-14 y Telégrafo 1 – Quito Av. Juan Tanca Marengo Km. 1.7 – Guayaquil	info@acerocomercial.com info@acerocomercial.com	(593-2) 2454 333 (593-4) 2683 060	(593-2) 2454 455 (593-4) 2683 059
Guatemala	Tecnofijaciones, 6 Avenue 8-56 Zona 9, Zona 9, Guatemala	Oscar Lucas Penagos	502-233-4-3478	
Panama	Centro-Industrial, Via Cincuentenario, No. 7910, Ciudad Panama, Panama		(507) 302-8022	
Peru	Powers Peruana SAC, Av. Santa Catalina, 555 La Victoria, Lima 13, Peru (www.powersperuana.com)	Martin Vasquez	(011) 511 265 8500	(011) 511 330 0909
Venezuela	Calle Sucre/Qta. Maudora, #1721 Entre Cec Acosta Y San Ignacio Chacao, Caracas	Distributor	58 212 264 1313	58 212 263 0219
Trinidad - Tobago	Ft. Farfan, 3-5 Ibis Avenue, Ibis Acres, San Juan	Derek Cumming	(868) 674-7896	

Note: The information and data contained within this documentation was current as of January 2012. The information is for marketing purposes only and is subject to change and updates as needed. Powers Fasteners, Inc. reserves the right to change designs and specifications without notice or liability for such changes. Please contact Powers Fasteners for the most current and up to date available information or refer to our website at www.powers.com

Powers Fasteners 2 Powers Lane, Brewster, NY 10509 P: (914) 235-6300 F:(914) 576-6483
 Powers Fasteners Canada Ltd. 6950 Edwards Boulevard Mississauga Ontario L5T-2W2 Canada
 P: (905) 673-7295 or 1-800-387-3480 F: (905) 673-6490

www.powers.com

Cat. No. 49093 1/12
 ©2012 Powers Fasteners, Inc.

Jobsite
 Assistance
 24/7

