

Finally, a Drop-In That Sets Reliably

*Manually or Power Driven
In Half The Time!*

Smart DI+™ System

- Fast
- Safe
- Reliable
- IBC Pending
- UL Listed
File No. EX 1289



Patents Pending

Smart DI+™

Internally Threaded Dropin Expansion Anchor

*The fastest, safest and most efficient
Smart DI+ Bit and Smart Tool System*

Powers is a proud member of:



A domestic
company
headquartered
in Brewster, NY

Smart DI+™ Dropin

Internally Threaded Expansion Anchor



STANDARD DROP-IN



SMART DI+ DROP-IN

Anchor:

Standard steel drop-in anchors are hard to set, typically taking up to

20 hammer blows or more in hard concrete, and then are not set properly. Smart DI+™ has a patent pending plug design that has almost no taper from top to bottom. This causes expansion of the precision manufactured anchor shell to occur at the bottom of the anchor, which results in half the energy spent to set the anchor. Ordinary drop-ins have a tapered plug which builds up friction, making them hard to set and are often only partially expanded which can lead to potential failure. Powers' new Smart DI+™ sets reliably and consistently with a Powers manual setting tool with minimal hammer blows.



SMART BIT™

Drilling: Powers' patented Smart-Bit™ drills the perfect depth hole-virtually eliminating over drilling, which is often the norm when holes are drilled using ordinary SDS+ bits.



SMART TOOL™

Driving: Powers' patented Smart-Tool™, when locked over the Smart-Bit™, allows the installer to fully drive the anchor in rotary hammer mode, typically 2-3 seconds. Powers recommends in medium strength concrete, only the approved Hitachi DF24PH3 (corded) and the DH25DAL (cordless) for 1/4, 3/8 and 1/2 Smart DI+™ anchors be used. For high strength concrete, the Hitachi DH28PC should be used. Powers can supply the total system, ensuring that the proper tools are being used.

ANCHOR SIZE RANGE

1/4" to 3/4" diameter

BASE MATERIAL

Concrete

ANCHOR MATERIAL

Carbon Steel

ANCHOR
PRIOR TO
INSTALLATION



WHEN PROPERLY SET,
ANCHOR INDICATOR WILL
LEAVE BLUE PAINT IN
RECESSED CAVITIES

Inspection: The Smart DI+™ has a unique patent pending crown design, which is painted blue. The contractor uses the approved SDS+ rotary hammer with the Smart-Bit™ and Smart-Tool™, which allows the anchor can be set in 2-3 seconds. The blue outer ring will be removed, leaving blue paint in the 4 recessed cavities of the anchor, indicating that the anchor has been properly set. This procedure is a clear indication for the installer and inspector of a properly set anchor.

SMART BIT



| Cat. No. | Description | Std. Box | Std. Ctn. |
|----------|------------------------------|----------|-----------|
| 00391SD | Smart Bit for 1/4" Smart DI+ | 1 | 12 |
| 00397SD | Smart Bit for 3/8" Smart DI+ | 1 | 12 |
| 00410SD | Smart Bit for 1/2" Smart DI+ | 1 | 12 |

SMART TOOL




| Cat. No. | Description | Std. Box | Std. Ctn. |
|----------|-------------------------------|----------|-----------|
| 00425SD | Smart Tool for 1/4" Smart DI+ | 1 | 6 |
| 00427SD | Smart Tool for 3/8" Smart DI+ | 1 | 6 |
| 00429SD | Smart Tool for 1/2" Smart DI+ | 1 | 6 |

SMART DI+



| Cat. No. | Description | Std. Box | Std. Ctn. |
|----------|-------------------------------|----------|-----------|
| 6304SD | 1/4" Smart DI+ drop in anchor | 100 | 1000 |
| 6306SD | 3/8" Smart DI+ drop in anchor | 50 | 500 |
| 6308SD | 1/2" Smart DI+ drop in anchor | 50 | 250 |

MANUAL TOOL



| Cat. No. | Description | Std. Box | Std. Ctn. |
|----------|--|----------|-----------|
| 00391SD | Manual Setting Tool for 1/4" Smart DI+ | 1 | 250 |
| 00397SD | Manual Setting Tool for 3/8" Smart DI+ | 1 | 100 |
| 00410SD | Manual Setting Tool for 1/2" Smart DI+ | 1 | 100 |

STANDARD DROP-IN



SMART DI+ DROP-IN

- **Easier To Set, 50% Labor Savings**
- **More Expansion, High Load Values**
- **Safety Indicator, A Visual Inspection of a Properly Installed Anchor**

RECOMMENDED ROTARY HAMMER DRILLS



| Hitachi DH24PF3 | |
|-----------------|--|
| Powers Part No. | Description |
| DH24PF3 | 15/16" SDS Plus Rotary Hammer, 3-Mode (D-Handle) |




| Hitachi DH25DAL | |
|-----------------|--|
| Powers Part No. | Description |
| DH25DAL | 25.2V Lithium Ion SDS Plus Rotary Hammer (3.0Ah) |




| Hitachi DH28PC | |
|-----------------|---|
| Powers Part No. | Description |
| DH28PC | 720W SDS Plus Rotary Hammer (110 Volt) For High Strength Concrete |

INSTALLATION

SMART INSTALLATION




1. Drill a hole into the base material to the depth of embedment required using the appropriate Powers Smart Bit and verify that is free of dust and debris.



2. Slide the appropriate Powers Smart Setting Tool over the Smart Bit used to drill the hole and twist counterclockwise to lock into place. Once attached, insert the tip of the setting tool into the Smart DI+ and drive the internal plug fully using the rotation with hammer mode of the SDS+ (or SDS Max) drill.

rotation with hammer mode of the SDS+ (or SDS Max) drill.



3. If using a fixture, position it, insert the bolt and tighten. Most overhead applications utilize threaded rod. Minimum thread engagement should be at least one anchor diameter.




4. For proper installation, the shoulder of the Smart Tool must come in contact fully with the Smart DI+, resulting in the blue indicator paint being removed from the raised profile of the drop-in. The paint will remain in the recessed portion of the top indicating full expansion.

recessed portion of the top indicating full expansion.


MANUAL INSTALLATION



1. Drill a hole into the base material to the depth of embedment required using the appropriate carbide drill bit and verify that is free of dust and debris.



2. Using a Powers manual setting tool, set the anchor by driving the tool with a sufficient number of hammer blows until the shoulder of the tool is seated up against the anchor. Anchor will not hold allowable loads required if shoulder of Powers manual setting tool does not seat against the anchor.



3. If using a fixture, position it, insert bolt and tighten. Most overhead applications utilize threaded rod. Minimum thread engagement should be at least one anchor diameter.

POWERS' NEW SMART DI+ SYSTEM CAN ENSURE THE FASTEST, SAFEST AND MOST EFFICIENT WAY TO INSTALL SMART DI+.

POWERS' MANUAL SETTING TOOL IS ALSO AVAILABLE.

POWERS FASTENERS BRANCH INFORMATION

USA LOCATIONS

| CITY | ADDRESS | CONTACT | PHONE | FAX |
|------------------------|--|------------------|--------------|--------------|
| Alabama | 5405 Buford Hwy Suite 410 Norcross, GA 30071-3984 | Jeff Hatchett | 205-520-6044 | 678-966-9242 |
| Atlanta | 5405 Buford Hwy Suite 410 Norcross, GA 30071-3984 | Ryan Raica | 678-966-0000 | 678-966-9242 |
| Boston | 2 Powers Lane, Brewster, NY 10509 | Jack Armour | 800-524-3244 | 914-576-6483 |
| Charlotte | 349 L West Tremont Avenue, Charlotte, NC 28203 | Bob Aurisy | 704-375-5012 | 704-376-5517 |
| Chicago | 2472 Wisconsin Avenue, Downers Grove, IL 60515 | Dan Gilligan | 630-960-3156 | 630-960-3912 |
| Dallas | 10625 King Williams Drive, Dallas, TX 75220 | Matt Henderson | 972-506-9258 | 972-506-9290 |
| Denver | 2475 West Second Street #35, Denver, CO 80223 | Jared Hemmert | 303-922-9202 | 303-922-9228 |
| Detroit | 21600 Wyoming Avenue, Oak Park, MI 48237 | Glen Gaskill | 248-543-8600 | 248-543-8601 |
| Florida | 2412 Lynx Lane, Orlando, FL 32804 | John Christy | 813-626-4500 | 813-626-4545 |
| Houston | 13833 North Promenade, Suite 100, Stafford, TX 77477 | Chris Salisbury | 281-491-0351 | 281-491-0367 |
| Indianapolis | 15290 Stony Creek Way, Noblesville, IN 46060 | Bill Trainor | 317-773-1668 | 317-773-1690 |
| Kansas City / St Louis | 716 East 16th Avenue, North Kansas City, MO 64116 | Don James, Jr. | 816-472-5038 | 816-472-5040 |
| Los Angeles | 2761 Dow Avenue, Tustin, CA 92780 | Jack Stewart | 714-731-2500 | 714-731-2566 |
| Maryland | 3137-B Pennsy Drive, Landover, MD 20785 | Chris Van Syckle | 301-773-1722 | 301-341-5119 |
| Milwaukee | 12020 W. Feerick Street, Milwaukee, WI 53222 | Donn Raduenz | 414-466-2400 | 414-466-3993 |
| Minneapolis | 351 Wilson Street, NE Minneapolis, MN 55413 | Josh Nelson | 612-644-3047 | 612-331-3549 |
| Nashville/Memphis | 221 Blanton Avenue, Nashville, TN 37210 | Ira Liss | 615-248-2667 | 615-248-2676 |
| New Orleans | 102 Sampson Street, Houston, TX 77003 | Cal Zenor | 713-228-1524 | 713-228-1528 |
| New York | 2 Powers Lane, Brewster, NY 10509 | John Partridge | 914-235-6300 | 914-576-6483 |
| Philadelphia | 2 Powers Lane, Brewster, NY 10509 | Greg Stephenson | 800-524-3244 | 914-576-6483 |
| Phoenix | 3602 E. Southern Ave, Suite 5 Phoenix, AZ 85040 | Craig Hering | 602-431-8024 | 602-431-8027 |
| Pittsburgh | 1360 Island Avenue, McKees Rocks, PA 15136 | Bill Dugan | 412-771-3010 | 412-771-9858 |
| Portland | 129 South Kenyon, Seattle, WA 98108 | Jim Swink | 360-608-6845 | 206-762-5817 |
| Rochester | 40 Harrison Street, Rochester, NY 14605 | Mike Kolstad | 585-288-2080 | 585-288-8732 |
| Salt Lake City | 2212 SW Temple #20, Salt Lake City, UT 84115 | Don Manning | 801-466-9428 | 801-466-3083 |
| San Francisco | 28970 Hopkins Street, Suite B+C, Hayward, CA 94545 | John O'Brian | 510-293-1500 | 510-293-1505 |
| Seattle | 129 South Kenyon, Seattle, WA 98108 | Darin Arnold | 206-762-5812 | 206-762-5817 |

INTERNATIONAL LOCATIONS

| COUNTRY/REGION | ADDRESS | CONTACT | PHONE | FAX |
|----------------|--|--------------------------|------------------|------------------|
| Australia | Factory 3, 205 Abbotts Road, Dandenong, South Victoria 3175 | Phil Rose | +61 3 8787 5888 | +61 3 8787 5899 |
| Canada | 6950 Edwards Blvd. Mississauga, Ontario L5T 2W2 | Mark Russell | 905-673-7295 | 905-673-6490 |
| China | Metropolitan Business Centre, East Nandan Road, Lane 300, No. 9, Room 604 Xuhui District, Shanghai, China 200030 | Jake Olsen | +86-21-3363-2880 | +86-21-3363-2881 |
| China | TriF international, 4E, Building 11, The City of Design, Tianmian Village, Futian, Shenzhen 518000 | Tom Nie | 86-755-82795378 | 86-755-82795379 |
| Europe | Westrak 208, 1771 SV Wieringerwerf, Netherlands | Paul Geuvers | +31 888 769 377 | +31 227 594 759 |
| India | D-112, Twin Arcade, Military Rd., Marol, Andheri, East Mumbai, 400059 | Ajay Kulkarni | 91-22-401591304 | |
| Manitoba | 1810 Dublin Avenue Man. Winnipeg, R3H 0H3 | Distributor | 204-633-0064 | 204-694-1261 |
| New Zealand | PO Box 302 076 North Harbour Auckland | Clay Sesto | +64 9415 2425 | +64 9415 2627 |
| Quebec | 721 Meloche Avenue, Dorval, Quebec H9P 2S5 | Alan Hill | 514-631-4216 | 514-631-2583 |
| Thailand | 80/89 MOO4 Petchakasem Road, Bangkae Bangkok 10160 | Chalee Surakavanichakorn | +661 826 5821 | |

LATIN & CARIBBEAN DISTRIBUTION INQUIRIES

| COUNTRY/REGION | ADDRESS | CONTACT | PHONE | FAX |
|----------------|---------|-------------|----------------|--------------|
| Latin America | | Alan Hebert | 01150767477749 | 914-576-6483 |

LATIN & CARIBBEAN DISTRIBUTION

| COUNTRY/REGION | ADDRESS | CONTACT | PHONE | FAX |
|--------------------|---|--|--------------------------------------|--------------------------------------|
| Brazil | HARD, Rua Dr. Humberto Pinheiro Viera, 150 Lote B, 1 B Distrito Industrial, Joinville, Brazil | | 55-47-40097209 | 55-47-40097217 |
| Colombia | Electrogeno, S.A., Carrera 52 #71c-38, Bogota, Colombia | | (57) 1 6600 9436 | |
| Costa Rica | Electro Mechanics Supply, La Uruca Contiguo Banco Ntnl., De Costa Rica Condominio, Horizontal Bodega #9, San Jose, Costa Rica | | (506) 2233-2595 | |
| Dominican Republic | Calle Estancia Nueva #17 E Esquina Cul-De-Sac 9, San Geronimo, Santo Domingo | Rodfor Team | 809-224-5615 | 809-472-8640 |
| Ecuador | Acero Comercial Ecuatoriano S.A., Av. La Prensa N45-14 y Telégrafo 1 – Quito Av. Juan Tanca Marengo Km. 1.7 – Guayaquil | infoio@acerocomercial.com infofy@acerocomercial.com | (593-2) 2454 333 (593-4) 2683 060 | (593-2) 2454 455 (593-4) 2683 059 |
| Guatemala | Tecnofijaciones, 6 Avenue 8-56 Zona 9, Zona 9, Guatemala | Oscar Lucas Penagos | 502-233-4-3478 | |
| Panama | Centro-Industrial, Via Cincuentenario, No. 7910, Ciudad Panama, Panama | | (507) 302-8022 | |
| Peru | Powers Peruana SAC, Av. Santa Catalina, 555 La Victoria, Lima 13, Peru (www.powersperuana.com) | Martin Vasquez | (011) 511 265 8500 | (011) 511 330 0909 |
| Venezuela | Calle Sucre/Qta. Maudora, #1721 Entre Cec Acosta Y San Ignacio Chacao, Caracas | Distributor | 58 212 264 1313 | 58 212 263 0219 |
| Trinidad - Tobago | Ft. Farfan, 3-5 Ibis Avenue, Ibis Acres, San Juan | Derek Cumming | (868) 674-7896 | |

Note: The information and data contained within this documentation was current as of January 2012. The information is for marketing purposes only and is subject to change and updates as needed. Powers Fasteners, Inc. reserves the right to change designs and specifications without notice or liability for such changes. Please contact Powers Fasteners for the most current and up to date available information or refer to our website at www.powers.com

Powers Fasteners 2 Powers Lane, Brewster, NY 10509 P: (914) 235-6300 F:(914) 576-6483
Powers Fasteners Canada Ltd. 6950 Edwards Boulevard Mississauga Ontario L5T-2W2 Canada
 P: (905) 673-7295 or 1-800-387-3480 F: (905) 673-6490

