

Rebar Cutter *Carbide Drill Bits*

PRODUCT DESCRIPTION

Rebar cutter bits provide a quick, easy method for drilling through mesh or reinforcing bars embedded in concrete when the drilled hole cannot be relocated. The bits are used in the rotation only mode and are designed to fit in a standard rotary drill motor with a 1/2" Jacobs style chuck.



When drilling with a hammer drill or rotary hammer, it is important to stop drilling immediately when a standard carbide bit contacts steel reinforcing bar or wire mesh. If the drilled hole cannot be relocated, a rebar cutter bit is used to drill through the embedded steel. Insert the rebar cutter bit into the chuck of a standard 1/2" rotary drill. Place the bit into the partially drilled hole until it contacts the mesh or reinforcing bar. Drill through the embedded steel with the rebar cutter bit. Once the bit has drilled through the steel, remove the debris from the hole, then continue drilling with the standard carbide tipped bit using a hammer drill or rotary hammer.

FOR USE WITH

Rotation-only Drill with Standard 1/2" Jacobs style Chuck

SIZE RANGE

1/2" to 1-1/4" diameter

DRILL BIT SPECIFICATIONS AND ORDERING INFORMATION

Rebar Cutter Bits

| Cat. No. | Drill Size | Usable Length | Wt./Dozen |
|----------|--------------|---------------|-----------|
| 0845 | 1/2" x 12" | 11" | 6 |
| 0844 | 9/16" x 12" | 11" | 7 |
| 0846 | 5/8" x 12" | 11" | 7 1/4 |
| 0847 | 11/16" x 12" | 11" | 10 |
| 0849 | 3/4" x 12" | 11" | 12 |
| 0851 | 7/8" x 12" | 11" | 12 |
| 0853 | 1" x 12" | 11" | 15 |
| 0855 | 1 1/4" x 12" | 11" | 24 |

Heavy Duty Chisels

PRODUCT DESCRIPTION

Heavy Duty Chisels and accessories are designed for use in a combination rotary hammer/chipping tool equipped with a Spline, SDS-Max®, or 3/4" hex chuck. The chisels can be used for chipping applications in concrete, block, brick and soft stone.



FOR USE WITH

Combination Rotary Hammer/Chipping Tool with a Spline, SDS-Max or 3/4" Hex Chuck

HEAVY DUTY CHISEL SPECIFICATIONS AND ORDERING INFORMATION

Heavy Duty Chisels

| Cat. No. | Shank Type | Chisel Type | Size or Width | Overall Length | Wt./Dozen |
|----------|------------|------------------------------|-----------------|----------------|-----------|
| 0950 | Spline | Bull Point | - | 12" | 17 |
| 0951 | Spline | Bull Point | - | 18" | 27 |
| 0952 | Spline | Flat | 1" | 12" | 17 |
| 0953 | Spline | Flat | 1" | 18" | 27 |
| 0954 | Spline | Scaling | 1 1/2" | 12" | 17 |
| 0955 | Spline | Scaling | 2" | 12" | 18 |
| 0959 | Spline | Ground Rod | 5/8" & 3/4" Rod | 10 1/2" | 31 |
| 0960 | Spline | One Piece Bushing (16 Point) | 1 3/4" x 1 3/4" | 10" | 16 |
| 0965 | SDS-Max | Bull Point | - | 12" | 16 |
| 0966 | SDS-Max | Bull Point | - | 18" | 22 |
| 0967 | SDS-Max | Flat | 1" | 12" | 16 |
| 0968 | SDS-Max | Flat | 1" | 18" | 22 |
| 0969 | SDS-Max | Scaling | 1 1/2" | 12" | 16 |
| 0970 | SDS-Max | Scaling | 2" | 12" | 17 |
| 0974 | SDS-Max | Ground Rod | 5/8" & 3/4" Rod | 10" | 31 |
| 0975 | SDS-Max | One Piece Bushing (16 Point) | 1 3/4" x 1 3/4" | 10" | 16 |
| 0982 | 3/4" Hex | Flat | 1" | 12" | 17 |
| 0983 | 3/4" Hex | Flat | 1" | 18" | 31 |

**CARBIDE
DRILL BITS**